

GymBeam s.r.o.

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia



Deutsche
Akkreditierungsstelle
D-PL-14170-01-00

Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

Certificate of analysis 24034137 - 035

Sample name : MoiMüv Protein Flapjack - GymBeam 90 g - chocolate brownie

Marking of sample : Batch-No: 4B27H, Exp.: 15/12/24

Customer No. : none

Packaging : Commercial package/bag

Sample amount : 4 x 90 g

Shipping of sample : Courier Service

Sample entry : 17.07.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 17.07.2024 / 24.07.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3

Certificate of analysis : 24034137 - 035

Sample name : MoiMüv Protein Flapjack - GymBeam 90 g - chocolate brownie

Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Salmonella	negative	/ 25 g
Coliforms	<10	cfu/g
Yeasts / moulds		
Moulds	<10	cfu/g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>
Lead	<0,020	mg/kg
Cadmium	0,020	mg/kg
Mercury	<0,010	mg/kg

Hamburg, 24.07.2024

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
Salmonella	§ 64 LFGB L 00.00-20: 2021-07 ^a ₀
Coliforms	ISO 4832: 2006-02 ^a ₀
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 ^a ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 ₀
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

With ^a marked methods are accredited.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg

Certificate of analysis : 24034137 - 035

Sample name : MoiMüv Protein Flapjack - GymBeam 90 g - chocolate brownie