

GymBeam s.r.o.

Ms. Sláviková

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia

Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

Certificate of analysis 25032720 - 001

Sample name : Red Rice Yeast Extract - GymBeam 90 caps

Marking of sample : 0681 05.2027

Customer No. : none

Packaging : Commercial package

Sample amount : 3 x 38,3 g

Shipping of sample : Courier Service

Sample entry : 07.07.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 07.07.2025 / 21.07.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website (gba-group.com/aqb).

Certificate of analysis : 25032720 - 001

Sample name : Red Rice Yeast Extract - GymBeam 90 caps

Test Results

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>
Citrinin	<10,0	µg/kg
Arsenic	<0,040	mg/kg

Hamburg, 21.07.2025

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
Citrinin	FV-0566 02-001, LC-MS/MS: 2006 ^a ₁
Arsenic	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

The methods marked with ^a are accredited methods of the performing laboratory.

Testing laboratory: 1extern 5GBA Pinneberg